



Handpieces

- Aspiration 90
- Coaxial Irrigation/Aspiration 93
- Irrigating Choppers 100
- Irrigation 100



Handpieces

Aspiration

85802

Aspiration Handpiece 19GA



Conical Tip. Roughened. Red colour-coded.



85804

Aspiration Handpiece 20GA



Conical Tip. Roughened. Red colour-coded.



85950

Aspiration Handpiece



Male. Round handle 7 mm Ø. 95 mm.



85772R

SILKO Aspirating Cannula Handpiece



Red silicone coated handle ensures firm grip. male luer adapter for connection to aspiration line. 95 mm.



85774R

Aspiration Handpiece 21GA



Curved. 0.3 mm aspiration port. Tapered tip. Roughened. outer diameter 0.8 mm (21GA).



85776R

Aspiration Handpiece 21GA



Conical Tip. Roughened. Red colour-coded.



85778R

Aspiration Handpiece 21GA



Slightly curved. 0.3 mm aspiration port. Smooth tip. Outer diameter 0.8 mm (21GA).



Aspiration

85967

Aspiration Handpiece 22GA



Curved shaft. Roughened tip. 0.3 mm aspiration port.
Outer diameter 0.7 mm (22GA).
Limited Reuse 400 times.



85968

Aspiration Handpiece 23GA



Curved shaft. Roughened tip. 0.3 mm aspiration port.
Outer diameter 0.6 mm (23GA).
Limited Reuse 400 times.



85780S

Aspiration Handpiece 21GA



Curved shaft. Roughened tip. 0.3 mm aspiration port.
outer diameter 0.8 mm (21GA). Red colour-coded
handle. Packaged single. Sterile. 12/box.



85790S

Aspiration Handpiece 22GA



Curved shaft. Roughened tip. 0.3 mm aspiration port.
outer diameter 0.7 mm (22GA). Red colour-coded
handle. Packaged single. Sterile. 12/box.



85792S

Aspiration Handpiece 23GA



Curved shaft. Roughened tip. 0.3 mm aspiration port.
outer diameter 0.6 mm (23GA). Red colour-coded
handle. Packaged single. Sterile. 12/box.



85900S

Aspiration Handpiece 21GA



Aspiration tip with lateral port. Roughened tip.
Outer diameter 0.8 mm (21GA).
Red colour-coded handle.
Packaged single. Sterile. 12/box.



85901S19

Aspiration Handpiece 19GA



Curved shaft. Roughened tip. 0.3 mm aspiration port.
outer diameter 1.07mm (19GA).
Red colour-coded handle.
Packaged single. Sterile. 12/box.



Handpieces

Aspiration

85901S20

Aspiration Handpiece 20GA



Curved shaft. Roughened tip. 0.3 mm aspiration port. outer diameter 0.89 mm (20GA).
Red colour-coded handle.
Packaged single. Sterile. 12/box.



ET4750 A23

Aspiration Handpiece 23 Gauge 0.4 mm



Used to remove residual cortex after phacoemulsification. Can be used through either sideport incision, thus the surgeon is able to easily reach the cortex in every quadrant of the capsule. Titanium. Overall length 113 mm.



ET4750 AP23

Aspiration Handpiece 23 Gauge 0.4 mm Polishing Tip



Used to remove residual cortex after phacoemulsification. Roughened surface for polishing. Can be used through either sideport incision, thus the surgeon is able to easily reach the cortex in every quadrant of the capsule. Titanium. Overall length 113 mm.



ET4753 A23

Aspirating Handpiece 23 Gauge 0.3 mm



Used to remove residual cortex after phacoemulsification. Can be used through either side port incision, thus the surgeon is able to easily reach the cortex in every quadrant of the capsule. Aspirating port is 0.3 mm. Titanium. Overall length 113 mm.



SUP05

Zero Phaco Aspiration Handpiece




21GA (0.8 mm) Bimanual Aspiration Handpiece, designed with an open port aspiration tube for aspirating softened nuclei during Femtosecond cataract surgery. 30° tapered tip. For use with 85787ST - Irrigation Handpiece 21GA.



Coaxial Irrigation/Aspiration

85761

SILKO I/A Handpiece, Straight




20GA cannula tip. 0.3 mm aspiration port. For use with standard irrigation sleeve. Blue silicone coated handle ensures firm grip. Luer steel connectors. Overall length 138.5 mm.



85763

SILKO I/A Handpiece, Curved, 16/22GA




19.5 mm shaft with 16GA outer cannula (coaxial irrigation) and 22GA inner cannula (aspiration). 0.3 mm aspiration port. Blue silicone coated handle ensures firm grip. Luer steel connectors. Overall length 142 mm.



85764

SILKO I/A Handpiece, Curved, 17/23GA



19.5 mm shaft with 17GA outer cannula (coaxial irrigation) and 23GA inner cannula (aspiration). 0.3 mm aspiration port. Blue silicone coated handle ensures firm grip. Luer steel connectors. Overall length 142 mm.



85765

SILKO I/A Handpiece, Angled 60°, 16/22GA



20 mm shaft angled 60° with 16GA outer cannula (coaxial irrigation) and 22GA inner cannula (aspiration). 0.3 mm aspiration port. Blue silicone coated handle ensures firm grip. Luer steel connectors. Overall length 143 mm.



85766

SILKO I/A Handpiece, Angled 60°, 17/23GA



20 mm shaft angled 60° with 17GA outer cannula (coaxial irrigation) and 23GA inner cannula (aspiration). 0.3 mm aspiration port. Blue silicone coated handle ensures firm grip. Luer steel connectors. Overall length 143 mm.



85770

SILKO I/A Handpiece, Angled 20° with Sleeve



20GA cannula. Tip angled 20° with standard sleeve. 0.3 mm aspiration port. Blue silicone coated handle ensures firm grip. Luer steel connectors. Overall length 138.5 mm.




Handpieces

Coaxial Irrigation/Aspiration

85771

SILKO I/A Handpiece, Angled 90° with Sleeve



20GA cannula. Tip angled 90° with standard sleeve. 0.3 mm aspiration port. Blue silicone coated handle ensures firm grip. Luer steel connectors. Overall length 138.5 mm.



85951

I/A Handpiece 20° with Sleeve



20GA cannula. Tip angled 20° with standard sleeve. 0.3 mm aspiration port. Limited Reuse 400 times.



85782S

I/A Handpiece straight, 17GA



Straight tip for initial cortical removal. 0.3 mm aspiration port. outer diameter 1.5 mm (17GA). Packaged single. Sterile. 12/box.



85783S

I/A Handpiece curved, 17GA



Curved shaft. Ideal for deep-set eyes. 0.3 mm aspiration port. outer diameter 1.5 mm (17GA). Packaged single. Sterile. 12/box.



85783ST

I/A Handpiece curved, 17GA



I/A Handpiece with Surelock™ luer connector for Stellaris®. Curved shaft. Ideal for deep-set eyes. 0.3 mm aspiration port. outer diameter 1.5 mm (17GA). Packaged single. Sterile. 12/box.



85784S

I/A Handpiece tip, 45°, 17GA



Straight shaft with 45° angled aspiration tip. For optimal 360° cortical material removal. 0.3 mm aspiration port. outer diameter 1.5 mm (17GA). Packaged single. Sterile. 12/box.



Coaxial Irrigation/Aspiration

85784ST

I/A Handpiece, 45°, 17GA




I/A Handpiece with Surelock™ luer connector for Stellaris®. Straight shaft with 45° angled aspiration tip. 0.3 mm aspiration port. outer diameter 1.5 mm (17GA). Packaged single. Sterile. 12/box.



85785S

I/A Handpiece straight with sleeve



Straight tip with silicone irrigation sleeve for standard phaco incision. Aspiration cannula 0.9 mm (20GA). 0.3 mm aspiration port. Packaged single. Sterile. 12/box.



85786S

I/A Handpiece tip, 90°, 16GA



Straight shaft with 90° angled aspiration tip. Ideal for 12 o'clock cortical material removal. 0.3 mm aspiration port. outer diameter 1.65 mm (16GA). Packaged single. Sterile. 12/box.



85786ST

I/A Handpiece tip, 90°, 16GA



I/A Handpiece with Surelock™ luer connector for Stellaris®. Straight shaft with 90° angled aspiration tip. Ideal for 12 o'clock cortical material removal. 0.3 mm aspiration port. outer diameter 1.65 mm (16GA). Packaged single. Sterile. 12/box with a 5 year.



85794ST

I/A Handpiece curved with sleeve for 1.8 C-MICS



I/A Handpiece with Surelock™ luer connector for Stellaris®. Curved shaft with silicone irrigation sleeve. For 1.8 mm incision. 0.3 mm aspiration port. Packaged single. Sterile. 12/box.



85795ST

I/A Handpiece 45° with sleeve for 1.8 C-MICS



I/A Handpiece with Surelock™ luer connector for Stellaris®. 45° angled tip with silicone irrigation sleeve. For 1.8 mm incision. 0.3 mm aspiration port. Packaged single. Sterile. 12/box.



Coaxial Irrigation/Aspiration

85910S

CapsuleGuard IA® Handpiece, 45°



This instrument features a flexible 45° tip design for effective cortical removal. Recommended for use in a 2.2 - 2.8mm incision. One-piece silicone construction I/A tip. The silicone tip design facilitates cortex removal, capsule polishing, viscoelastic removal and IOL manipulation in the capsular bag. Semi-transparent silicone sleeve provides improved visualisation. Packaged single. Sterile. 12/box.



85910ST

CapsuleGuard IA® Handpiece, 45°



This instrument features a flexible 45° tip design for effective cortical removal. Recommended for use in a 2.2 - 2.8mm incision. One-piece silicone construction I/A tip. The silicone tip design facilitates cortex removal, capsule polishing, viscoelastic removal and IOL manipulation in the capsular bag. Semi-transparent silicone sleeve provides improved visualisation. Packaged single. Sterile. 12/box.



85912S

CapsuleGuard IA® Handpiece, straight



This instrument features a flexible straight tip design for effective cortical removal. Recommended for use in a 2.2 - 2.8mm incision. One-piece silicone construction I/A tip. The silicone tip design facilitates cortex removal, capsule polishing, viscoelastic removal and IOL manipulation in the capsular bag. Semi-transparent silicone sleeve provides improved visualisation. Packaged single. Sterile. 12/box.



85912ST

CapsuleGuard IA® Handpiece, straight



This instrument features a flexible straight tip design for effective cortical removal. Recommended for use in a 2.2 - 2.8mm incision. One-piece silicone construction I/A tip. The silicone tip design facilitates cortex removal, capsule polishing, viscoelastic removal and IOL manipulation in the capsular bag. Semi-transparent silicone sleeve provides improved visualisation. Packaged single. Sterile. 12/box.



Coaxial Irrigation/Aspiration

85913S

CapsuleGuard IA[®] Handpiece, curved



This instrument features a flexible curved tip design for effective cortical removal. Recommended for use in a 2.2 - 2.8mm incision. One-piece silicone construction I/A tip. The silicone tip design facilitates cortex removal, capsule polishing, viscoelastic removal and IOL manipulation in the capsular bag. Semi-transparent silicone sleeve provides improved visualisation. Packaged single. Sterile. 12/box.



85913ST

CapsuleGuard IA[®] Handpiece, curved



This instrument features a flexible curved tip design for effective cortical removal. Recommended for use in a 2.2 - 2.8mm incision. One-piece silicone construction I/A tip. The silicone tip design facilitates cortex removal, capsule polishing, viscoelastic removal and IOL manipulation in the capsular bag. Semi-transparent silicone sleeve provides improved visualisation. Packaged single. Sterile. 12/box.



85914S

MICS CapsuleGuard IA[®] Handpiece, straight



This instrument features a flexible straight tip design for effective cortical removal. Recommended for use in a sub 2.0mm incision. One-piece silicone construction I/A tip. The silicone tip design facilitates cortex removal, capsule polishing, viscoelastic removal and IOL manipulation in the capsular bag. Semi-transparent silicone sleeve provides improved visualisation. Packaged single. Sterile. 12/box.



85914ST

MICS CapsuleGuard IA[®] Handpiece, straight



This instrument features a flexible straight tip design for effective cortical removal. Recommended for use in a sub 2.0mm incision. One-piece silicone construction I/A tip. The silicone tip design facilitates cortex removal, capsule polishing, viscoelastic removal and IOL manipulation in the capsular bag. Semi-transparent silicone sleeve provides improved visualisation. Packaged single. Sterile. 12/box.



Handpieces

Coaxial Irrigation/Aspiration

85915S

MICS CapsuleGuard IA[®] Handpiece, 45°



This instrument features a flexible 45 degree tip design for effective cortical removal. Recommended for use in a sub 2.0mm incision. One-piece silicone construction I/A tip. The silicone tip design facilitates cortex removal, capsule polishing, viscoelastic removal and IOL manipulation in the capsular bag. Semi-transparent silicone sleeve provides improved visualisation. Packaged single. Sterile. 12/box.



85915ST

MICS CapsuleGuard IA[®] Handpiece, 45°



This instrument features a flexible 45 degree tip design for effective cortical removal. Recommended for use in a sub 2.0mm incision. One-piece silicone construction I/A tip. The silicone tip design facilitates cortex removal, capsule polishing, viscoelastic removal and IOL manipulation in the capsular bag. Semi-transparent silicone sleeve provides improved visualisation. Packaged single. Sterile. 12/box.



SUP06

Zero Phaco Handpiece for Femtocataract 2.2 mm



Designed for aspirating softened nuclei during Femtosecond cataract surgery. The single-use handpiece is designed with an open port aspiration tube with 30° bevel. Recommended for use in a 2.2 mm incision. Packaged sterile. Single-Use. 12/box.



SUP06ST

Stellaris[®] System Zero Phaco Handpiece for Femtocataract 2.2 mm



Designed for aspirating softened nuclei during Femtosecond cataract surgery. The single-use handpiece is designed with an open port aspiration tube with 30° bevel. Recommended for use in a 2.2 mm incision. Designed for use with the Stellaris[®] System. Packaged sterile. Single-Use. 12/box.



Coaxial Irrigation/Aspiration

BL3160

Irrigating/Aspirating Handle Stellaris® System



Designed for use with the BL31xx series of I/A tips. Proprietary locking irrigating connector for use with the Stellaris® System tubing kits. Overall length 109 mm.



BL3161

Irrigation-Aspiration Tip, Sleeve, Curved



For use with silicone irrigation sleeve. 0.4 mm aspiration port. For use with BL3160 Stellaris® System I/A Handle.



BL3163

Irrigation-Aspiration Tip, Sleeve, Straight, 45°



Straight, 45° angled aspiration tip and 0.4 mm aspiration port. For use with silicone irrigation sleeve. Tip for use with BL3160 Stellaris® System I/A Handle.



BL3164

Irrigation-Aspiration Tip, Straight



Straight. 0.4 mm aspiration port. Tip for use with BL3160 Stellaris® System I/A Handle.



BL3165

Irrigation-Aspiration Tip, Curved



Curved. 0.4 mm aspiration port. Tip for use with BL3160 Stellaris® System I/A Handle.



BL3166

Irrigation-Aspiration Tip, Straight, 45°



Straight, 45° angled aspiration tip and 0.4 mm aspiration port. Tip for use with BL3160 Stellaris® System I/A Handle.



E4395 27

McIntyre Handpiece



Aspirating or irrigating handpiece. Luer connector fits all cannula hubs, narrow connector fits IV tubing. 8 mm diameter handle. Overall length 76 mm.



Handpieces

Irrigating Choppers

85800

Irrigating Chopper 19GA

x 1



Irrigating chopper for bimanual phaco. Tip length 0.95 mm. Two irrigation side ports of 0.8 mm, outer diameter 1.1 mm (19GA).



85809

Irrigating Divider 19GA

x 1



Irrigating instrument for divide and conquer technique during biaxial phaco. Two lateral irrigation ports and one posterior facing irrigation port. Outer diameter 1.1 mm (19GA).



85903S19

Irrigating Chopper 19GA

x 12



SUB
2 mm



Single-Use Irrigating Chopper for Micro Incision Cataract Surgery. Sharpened inner side. Atraumatic tip end. Central irrigation port, outer diameter 1.07 mm (19GA). Packaged single. Sterile. 12/box.



85903S20

Irrigating Chopper 20GA

x 12



SUB
2 mm



Single-Use Irrigating Chopper for Micro Incision Cataract Surgery. Sharpened inner side. Atraumatic tip end. Central irrigation port, outer diameter 0.89 mm (20GA). Packaged single. Sterile. 12/box.




Irrigation

85775

Irrigation Handpiece 21GA

x 1



Curved. Two 0.5 mm irrigation ports. Tapered tip. Roughened. 21GA (outer diameter 0.8 mm).



85777

Irrigation Handpiece 21GA

x 1



Curved. Sandblasted tip. Central irrigation port. Outer diameter 0.8 mm (21GA).



Irrigation

85779

Irrigation Handpiece 21GA



Slightly curved. 0.5 mm irrigation port. Smooth tip. Outer diameter 0.8 mm (21GA).



85803

Irrigation Handpiece 19GA



Irrigation Handpiece. 19GA. Smooth tip. Two irrigation side ports of 0.6 mm. Blue colour-coded handle.



85805

Irrigation Handpiece 20GA



Irrigation Handpiece. 20GA. Smooth tip. Two irrigation side ports of 0.6 mm. Blue colour-coded handle.



85955

Irrigation Handpiece



Female. Round handle 7 mm Ø. 95 mm.



85957

Irrigation Handpiece 22GA



Curved shaft. Smooth tip. Two lateral irrigation ports. Outer diameter 0.7 mm (22GA). Limited Reuse 400 times.



85958

Irrigation Handpiece 23GA



Curved shaft. Smooth tip. Two lateral irrigation ports. Outer diameter 0.6 mm (23GA). Limited Reuse 400 times.



85781S

Irrigation Handpiece 21GA



Curved shaft. Roughened tip. Two lateral irrigation ports of 0.6 mm Ø. Outer diameter 0.8 mm (21GA). Blue colour-coded handle. Packaged single. Sterile. 12/box.



Handpieces

Irrigation

85787S

Irrigation Handpiece 21GA



Curved shaft. Smooth tip. Two lateral irrigation ports of 0.6 mm Ø. Outer diameter 0.8 mm (21GA). Blue colour-coded handle. Packaged single. Sterile. 12/box.



85787ST

Irrigation Handpiece 21GA



Irrigation Handpiece with Surelock™ luer connector for Stellaris® System. Curved shaft. Smooth tip. Two lateral irrigation ports of 0.6 mm Ø. Outer diameter 0.8 mm (21GA). Grey colour-coded handle. Packaged single. Sterile. 12/box.



85789S

Irrigation Handpiece 22GA



Curved shaft. Central irrigation port. Outer diameter 0.7 mm (22GA). Blue colour-coded handle. Packaged single. Sterile. 12/box.



85791S

Irrigation Handpiece 23GA



Curved shaft. Central irrigation port. Outer diameter 0.67 mm (23GA). Blue colour-coded handle. Packaged single. Sterile. 12/box.



85806S

Irrigation Handpiece 22GA



Curved shaft. Smooth tip. Two lateral irrigation ports. Outer diameter 0.7 mm (22GA). Blue colour-coded handle. Packaged single. Sterile. 12/box.



85806ST

Irrigation Handpiece 22GA



Irrigation Handpiece with Surelock™ luer connector for Stellaris® System. Curved shaft. Smooth tip. Two lateral irrigation ports. Outer diameter 0.7 mm (22GA). Grey colour-coded handle. Packaged single. Sterile. 12/box.



Irrigation

85807S

Irrigation Handpiece, 23GA



Curved shaft. Smooth tip. Two lateral irrigation ports. Outer diameter 0.6 mm (23GA). Blue colour-coded handle. Packaged single. Sterile. 12/box.



85807ST

Irrigation Handpiece, 23GA



Irrigation Handpiece with Surelock™ luer connector for Stellaris® System. Curved shaft. Smooth tip. Two lateral irrigation ports. Outer diameter 0.6 mm (23GA). Grey colour-coded handle. Packaged single. Sterile. 12/box.



85902S19

Irrigation Handpiece, 19GA



Curved shaft. Smooth tip. Two lateral irrigation ports of 0.6 mm Ø. Outer diameter 1.07 mm (19GA). Blue colour-coded handle. Packaged single. Sterile. 12/box.



85902S20

Irrigation Handpiece, 20GA



Curved shaft. Smooth tip. Two lateral irrigation ports of 0.6mm Ø. Outer diameter 0.89 mm (20GA). Blue colour-coded handle. Packaged single. Sterile. 12/box.



85902ST19

Irrigation Handpiece, 19GA



Irrigation handpiece with Surelock™ luer connector for Stellaris®. Curved shaft. Smooth tip. Two lateral irrigation ports of 0.6 mm Ø. Outer diameter 1.07 mm (19GA). Grey colour-coded handle. Packaged single. Sterile. 12/box.



ET4750 I21

Irrigating Handpiece 21 Gauge 0.4mm



Used to remove residual cortex after phacoemulsification. Handpiece is autoclavable and maintains the anterior chamber. It has dual 0.4 mm irrigating ports. Titanium. Overall length 113 mm.



